AUTHOR INDEX

Altmann, G., 137
Anderson, Kevin, 261
Anğ, Özdem, 39
Arimova, V.V., 294

Baird-Parker, A.C., 381
Beletskaya, L.V., 294
Berger, Ulrich, 367
Blair, J.E., 113
Bøvre, Kjell, 127,343
Brown, Jume M., 79
Buchanan, R.E., 377
Burshtein, V.A., 294

Cato, Elizabeth P., 323
Çetin, Enver Tali, 39
Chistenkov, N.A., 303
Clark, W.A., 59,73,229
Coleman, G., 306
Cowan, S.T., 227
Crabtree, K., 1

Dirr, K., 391

Edward, D.G., 105,267

Falta, Rosmarie, 361
Fraser, C.A.M., 292
Freundt, E.A., 105,267
Friedrich, Marilyn, 269
Fulghum, Robert S., 239

Gerichter, Ch. B., 137
Gibson, R., 231
Georg, Lucille K., 79
Gottlieb, David, 315
Grün, I., 391

Hansen, P. Arne, 235
Harris, Walter C., 57
Hatenever, M.L., 303
Hatt, H.D., 11,171
Haynes, William C., 255
Henriksen, S.D., 127,343
Hill, L.R., 93
Holdeman, Lillian V., 323
Hugh, Rudolph, 43,245

Jelinkove, J., 297
Jones, Lois M., 371

Kasdobina, L.S., 294
Khomenko, N.A., 53
Küster, E., 139,145
Kutznetsov, V.D., 154
Kwapinski, J.B., 149

Laidley, Rhoda M., 57
Lapage, S.P., 93
Lautrop, Hans, 89

Leonova, G.A., 303
Lessel, Erwin F., 43,89,241
Lyampert, I.M., 294

Maxted, W.R., 292
McCoy, Elizabeth, 1
McDonald, Helen, 261
Meyer, W., 387
Midgley, Jenifer, 93
Mollaret, H.H., 263
Moody, Max D., 281
Moore, W.E.C., 323
Müller, Liselotte, 361

Oeding, Per, 383
Özek, Ömer, 39

Parker, M.T., 113,292
Postgate, J.R., 111
Prauser, H., 361,403

Rautenstein, J.L., 157
Reese, Robert, 245
Rotta, J., 297

Schubert, Ralph H.W., 23,27
Secter, I., 137
Seeliger, H.P.R., 59,73,229
Sharma, V.K., 41
Shelton, Jean E., 93
Shewan, James M., 255
Shirling, Elwood B., 315
Silvestri, L.G., 167
Singh, C.M., 41
Sneath, P.H.A., 167
Steiner, Sheldon, 269

Toma, S., 137
Töreci, Kurtuluş, 39
Torres Pereira, A., 395

Weaver, Ralph H., 269
Welsch, M., 150
Williams, R.E.O., 306
Yurack, Joseph A., 57
Zinnemann, K., 165
Zvirbulis, E., 11,171

SUBJECT INDEX

Acetobacter
capsulatus, 95
mobilis, 95
suboxydans, 95
turbidans, 95
Acetomonas, 259,377
Achromobacter, 33,246
anitratum, 173
cholinophagum, 173
cycloclastes, 95
immobilis, 173
indoloxidans, 173
liquidum, 32
mucosus, 173
nematophilus, 173
riboflavinus, 173
stereotropis, 173
stutzeri, 173
tralucidus, 173
viscosus, 173
Acinetobacter, 246
delmarveae var. ginttottensis, 173
mallei, 173
parapertussis, 173
Actinobacillus
lignieresii, 95
mallei, 173
seminis, 173
Actinobifida
chromogena, 173
fusca, 173
globosa, 173
Actinomyces, 317
albireticulin, 173
albus, 154
aureocirculatus, 173
aureofaciens, 161
aureoversales, 173
bacillaris, 174
biverticillatus, 363
caespitosus, 174
candidus, 154
circulatus var. roseus, 174
coeruleofuscus
dentocariosus, 79
Actinomyces (cont.)
eriksonii, 174
erythreus, 161
finlayi, 174
fradiae, 161
globisporus var. caucasicus, 15
globitriticini, 380
griseus, 154
hachijoensis, 174
intermedius, 154
levoris, 154
longisporus griseus, 380
longissimus rameus, 174
malachitofuscus, 174
malachitorectus, 174
mellinus, 174
parabifidus, 174
roseoverticillatus, 174
spheroides, 160
spiroverticillatus, 174
streptomycini, 161,174
sulfureus, 154
xantholiticus, 174
Actinomycetaceae, 79
Actinomycetales, 145,149,154,15
378
Actinomycetes
acne, 146
bovis, 145
israeli, 145
propionicus, 146
Actinoplanaceae, 361
Actinoplanes, 361
armeniacus, 174
Actinopycnidium, 379
caeruleum, 363
Actinosporangium, 379
violaceum, 363
Aerobacter
aerogenes, 34
cloacae, 174
lipolyticus, 95
liquefaciens, 34

Aeromonas, 23, 32, 35, 259, 273, 377
dourgesi, 35, 174
var. anaerogene, 174
formicans, 174
hydrophila, 23, 25, 31
subsp. anaerogenes, 273
var. firmicans, 174
liquefaciens, 24
proteolytica, 175
punctata, 23, 25, 30
subsp. caviae, 273
var. caviae, 175
salmonicida, 23, 25
subsp. achromogenes, 273
shigelloides, 95
Agarbacterium alginicum, 175
Agrobacterium luteum, 175
Aktinomyces alni, 175
Alcaligenes, 246
haemolysans, 95
odorans, 95, 175
var. viridans, 175
tolerans, 175
Alginomonas alginica, 175
Aplanobacter magroui, 175
Arizona, 377
arizonae, 69
Arthrobacter
alantoicus, 175
atrocyaneus, 175
consociatus, 175
crystallopoietes, 175
duodecadis, 175
flavescens, 175
linens, 175
nicotianae, 175
polychromogenes, 175
ramosus, 175
simplex, 95
tumescens, 95
ureafaciens, 95
variabilis, 175
viscosus, 175
Ascobacterium luteum, 175
Asterococcus
agalactiae, 175
arthritidis, 175
bovigenitalis, 175
canis, 176
fermentans, 176
gallinarum, 176
hominis, 176
Asterococcus (cont.)
hyorhinis, 176
laidlawii, 176
maculosus, 176
neurolyticus, 176
pulmonis, 176
salivarius, 176
spumans, 176
Asticcacaulis excentricus, 176
Azomonas insigne, 176
Azotobacter
acidum, 176
agile, 176
miscellun, 176
vitreum var. armeniae, 176

Bacillospira praeclarum, 176
Bacillus
alvei, 95
aminovorans, 95
anaerobius pigmentosus, 176
anthracis, 95
arienasporus, 176
baculosporus, 176
badius, 95
binisporus, 176
brevis, 95
cereus, 95
var. galleriae, 176
circulans, 96
coagulans, 96
conspectus, 176
conspicuus, 176
disciformis, 177
eriobotryae, 177
felsineus var. thermophilus, 177
firmus, 96
hydrophilus fuscus, 25, 33
ingens, 177
laterosporus, 96
lentus, 96
licheniformis, 96
liquidus, 32
macerans, 96
macquariensis, 177
macroides, 177
megaterium, 96
var. phosphaticum, 177
melonthae, 177
liquefaciens, 177
nonliquefaciens, 177
mirandus, 177

Bacillus (cont.)
mirus, 177
mucilaginosus
subsp. siliceus, 177
obliquosporus, 177
omelianskii, 177
pantothenticus, 96
para-shiga, 177
pneumoniae, 177
pneumonisepticus, 177
similans, 178
polymyxa, 96
praestans, 178
pseudodiphtheria, 242
pumilus, 96
pyocyaneus, 47
ranicida, 33
speciosus, 178
sphericus, 96
splendidus, 178
sporofasciens, 178
sporopenatus, 178
sporoscopolus, 178
stearothermophilus, 96
subtilis, 96
tinakiensis, 178
truttae, 178
tuviensis, 178
uniflagellaris, 178
Bacteridium
adherens, 178
aerugineum, 47
anitratum, 60
aurantium, 178
lentimorbus, 178
peptogenes, 178
pepo, 178
viridiglaucescens, 178
viridulum, 178
Bacterionema
matruchotti, 60, 76, 97
Bacterium
acetylicum, 178
aeruginosum, 44
anitratum, 89, 245
carotovorum
var. atrosepticum, 178
coli citrovorum, 178
enteritidis jena, 179
formoxidans, 179
hydrophilum, 25
ketoglutaricum, 179
Bacterium (cont.)
magroui, 179
mastitidis ovis, 179
melonthae liquefaciens alpha, 179
gamma, 179
munchen, 179
omeljanskii, 179
paratyphi C, 179
pneumosepticus, 179
punctatum, 32
salmonicida, 28
sulfureum, 179
syringae var. capsici, 179
termo, 8, 12, 18
truttae, 179
typhi flavum, 179
zoogloeae ramigerae, 17
Bacteroidaceae, 377
Bacteroides, 377
amylogenes, 179
amylophilus, 179
corrodens, 179
fulminans, 179
hypermegas, 179
oralis, 179
var. elongatus, 179
var. oralis, 180
ruminicola, 180
subsp. brevis, 180
subsp. ruminicola, 180
succinogenes, 180
Bartonellaceae, 180
Bedsonia psittaci, 180
Bedsoninae, 180
Beijerinckia
acida, 176, 180
derxia, 180
fluminensis, 180
Bethesda
ballerupensis, 180
freundii, 180
Bifidobacterium
adolescentis, 180
breve, 180
infantis, 180
lactentis, 180
liberorum, 180
longum, 180
parvulorum, 180
Blastobacter henricii, 180
Blastobacteriaceae, 181

Blastocaulis kljasmiensis, 181
Bordetella
  parapertussis, 173
  pertussis, 97
Borrelia
  queenslandica, 181
  tillae, 181
Brevibactereae, 181
Brevibacterium
  albidum, 181
  ammoniagenes, 97
  citreum, 181
  fermentans, 181
  flavum, 181
  lactofermentum, 181
  lactofermentus, 181
  linens, 175
  luteum, 181
  lyticum, 181
  oxydans, 181
  protophormiae, 181
  pusillum, 181
  roseum, 181
  saperdae, 181
  testaceum, 181
Brucella, 371
  abortus, 97, 371
    var. van der schaaf, 181
    var. wilsoni, 181
  melitensis, 97, 374
    var. intermedia, 181
  neotomae, 372
  ovis, 372
  rangiferi tarandi, 372
  suis, 97, 371

Caduceus leptinotarsae, 181
Cardiobacterium hominis, 181
Catenabacterium
  hemicellulolyticum, 181
  ruminantium, 182
Caulobacter, 377
  bacteroides, 182
  crescentus, 182
  fusiformis, 182
  halobacteroides, 182
  henricii, 182
  intermedius, 182
  leidyi, 182
  maris, 182
  subvibrioides, 182
  variabilis, 182
  vibrioides subsp. limonus, 182
Cellvibrio
  flavescens, 182
  gilvus, 182
Chainia, 379
  poonensis, 363
Chlamydidaceae, 182
Chlamydidae, 182
Chlorobium chlorochromatii, 182
Christispira, 184
Chromobacterium
  typhi-flavum, 182
  viscosum, 93, 97
  violaceum, 97
Cillobacterium cellulosolvens, 182
Cillopasteurella
  melolanthae, 182
  pseudotuberculosis, 182
Citrobacter, 377
Clostridia, 269
Clostridium
  aceticum, 182
  acetobutylicum, 272
  aerofoetidum, 272
  alginolyticum, 182
  aurantiacum, 182
  beijerinckii, 272
  bifermentans, 269
  botulinum, 97, 182, 272
  capitovale, 272
  capriocum, 183
  carnis, 272
  cauteretsensis, 183
  chauvoei, 97, 272
  cochlearinum, 272
  corallinum
    var. durieuxi, 183
    var. joncherei, 183
  difficile, 272
  ellipsosporogenes, 183
  fallax, 269
  felsineum var. maynonei, 183
  histolyticum, 272
  lentoputrescens, 272
  lochheadii, 183
  longisporum, 183
  malacusomae, 183
  nigrificans, 111
  novyi, 97, 272
  omnivorum, 183
  orthobutylicum, 183
  paraputrificum, 272
  pasteurianum, 272
  pectinolyticum, 183

Clostridium (cont.)
pectinovorum
var. pseudoplectriforme, 183
perfringens, 97, 269
propionicum, 183
putrefaciens, 272
septicum, 97, 272
sporoappendiculatum, 183
sporocomosum, 183
sporocrustum, 183
sporopenitum, 183
sporopilosum, 183
spororenalis, 183
sporosetosum, 183
sporospilum, 183
sporospinum, 183
sporostellatum, 184
sporotrichum, 184
sporoverrucosum, 184
sticklandii, 184
tertium, 97
tetani, 272
uracilicum, 184
valerianicum
var. strasbourgensis, 184
viscifaciens, 184
Coccoglia, 8
Colesidae, 184
Colesinae, 184
Colesiota
conjunctivae bovis, 184
Colettsinae, 184
Comamonas terrigena, 184
Corynebacterium
acetoacidophilum, 184
betae, 184
bovis, 97, 242
diphtheriae, 151
diphtheroides, 336
herculis, 184
hydrocarboclastus, 184
pseudotuberculosis, 97
rubrum, 98
viscosum, 93
Cyanococcus chromospirans, 184
Cytophaga, 246

Dermatophilus, 149
Derxia indica, 184
Desulfotomaculum, 111
nigrificans, 185
orientis, 185
ruminis, 185
Desulfovibrio, 111
africans, 185
desulfuricans var.
thermodesulfuricans, 185
halohydrocarbonoclasticus,
112, 185
orientis, 111, 185
rubentschicki, 112
var. anomalus, 185
Desulphoristella
hydrocarbonoblastica, 184
Diplococcus, 246
mucosus, 185
pneumoniae, 290
tropicus, 185
variabilis, 133, 185

Edwardsiella tarda, 185
Edwardsielleae, 186
Empedobacter marismortui, 186
Endosporus
acidi-urici, 186
brevifaciens, 186
cylindrosporus, 186
propionicus, 186
viscifaciens, 186
Enterobacter, 377
Enterobacteriaceae, 377
Eubacterium isolatum, 186
Eperythrozoon coccoides, 46
Erwinia
amylovora, 186
carotovora, 186
cosmovora, 186
hemniana, 186
nigrificans, 186
rhizogenes, 186
urediniolytica, 186
variegata, 186
Erysipelotrix
insidiosa, 77
rhusiopathiae, 77
Escherichia, 377
adecarboxylata, 186
coli, 98
freundii, 98
melolanthae
var. alpha, 186
var. beta, 186
var. gamma, 186
tarda, 186
truttae, 187
Eubacterium ruminantium, 187

Fasciculus limpidus, 187
Ferrobacillus sulfooxidans, 187
Ferryella bronchiseptica, 187
Flavobacterium, 259
  aurescens, 187
  heparinum, 187
  meningosepticum, 98
  mobile, 187
  pinctadum, 187
  tirrenicum, 187
  typhiflavum, 187
Francisella, 263
  tularensis, 263
Frankia
  alni, 175, 187
  subtilis, 187
Fusiformis hemolyticus, 187
Fusobacterium, 377
Fusosporus gyrini, 187

Gaffkya astaci, 187
Galleria mellonella, 176
Gallionella
  kljasmiensis, 187
  pyritica, 187
Gallionellaceae, 188
Gliacoccos, 8

Haemophilus, 1
  aegyptius, 98
  citreus, 165
  gallinarum, 165
  haemoglobinophilus, 98
  haemolyticus, 98
  parasuis, 165
  pleuropneumoniae, 165
  putoriorum, 165
  vaginalis, 98, 165
Hafnia, 377
Halovibrio, 188
Herellea vaginicola, 246
Hydrogenomonas, 257
Hyphomicrobium neptunium, 188
Hyphomonas polymorpha, 188

Inflabilis lacustris, 188
Innominatus
  albus, 188
  circulans, 188
  danicus, 188
  morulans, 188
Interspira suilla, 188
Intrasporangium vulgaris, 148

Klebsiella, 377
  edwardsii, 98
  pneumoniae, 98
  rhinoscleromatis, 98
Krassilnikovia
  capsulata, 188
  incapsulata, 188
Krasillnikoviae, 188
Krusella cascainensis, 188
Kurthia zopfii, 98

Lacknospira multiparus, 188
Lactobacillus, 378
  bifidus, 146
  casei, 188
    subsp. pseudoplantarum, 188
    subsp. tolerans, 189
  caucasicus, 236
  coryniformis, 189
    subsp. coryniformis, 189
    subsp. torquens, 189
  corynoides, 189
    subsp. corynoides, 189
    subsp. minor, 189
  curvatus, 189
  helveticus var. pragensis, 189
  heterochiochii, 189
  homochiochii, 189
  leichmannii, 98
  parabifidus, 174
  pastorianus, 236
  plantarum
    var. arabinosus, 189
    var. plantarum, 189
  viridescens, 189
Leptospira
  atachafalaya, 189
  autumnalis, 189
    louisiana, 189
  budapest, 189
  ghent, 189
  lora, 189
  nero, 189
  orleans, 189
  paramelis, 189
  polonica, 189
  pomona mozdok, 190
Leptospiraceae, 190
Leptothrix pseudo-ochracea, 190
Leptotrichia
  buccalis, 60, 76, 98
  dentium, 98, 190
  haemolytica, 190
  innominata var. ochracea, 190

Leuconostoc, 18, 378
cremoris, 190
lactis, 190
Leucothrix cohaerens, 190
Limnoria tripunctata, 175
Listeria monocytogenes, 98

Macrospora violaceus, 190
Metallogenicum symbioticum, 190
Methanobacterium
formicicum, 190
omelianskii, 190
propionicum, 190
ruminantium, 191
suboxydans, 191
Methanomonas, 259
Methylococcus capsulatus, 191
Micraloa teres, 12
Microchloris nadsonii, 191
Micrococcus, 14, 246
aereroseus, 191
agilis, 99
aurantio-luteus, 191
conglomeratus, 383
distinctus, 191
eucinetus, 191
halodurans, 191
hyicus, 99
inactivus, 191
inconspicuus, 191
leukos, 191
luteus, 99, 231, 383
naucinus, 191
nitens, 191
prodigiosus, 231
pulcher, 191
pyocyaneus, 47
rhodochrous, 99
roseus, 99, 383
sodonensis, 191
tristia, 191
varians, 383
Microellobosporia, 361
cinerea, 361
flavea, 361
violacea, 361
Micromonospora, 149
acetoformici, 191
echinospora
var. echinospora, 191
var. ferruginea, 191
var. pallida, 191
fusca, 173
Micromonospora (cont.)
globosa, 173
purpurea, 191
Micropolyspora
caesia, 191
thermovirida, 191
Mima, 246
polymorpha, 356
Mimeae, 89
Miyagawella
lymphogranulomatosis, 192
Miyagawellidae, 192
Miyagawellinae, 192
Mollicutes, 267
Moraxella, 89, 246
glycidolytica, 133
var. liquefaciens, 192
var. nonliquefaciens, 192
lacunata, 99
var. atypica, 192
var. typica, 192
lwoffii, 99
var. bacteroides, 192
var. glycidolytica, 192
var. liquefaciens, 192
var. nonliquefaciens, 192
nonliquefaciens, 127, 343
osloensis, 127, 343
pericardite, 192
phenylpyrouvica, 343
polymorpha, 192, 343
saccharolytica, 192
Moraxellae, 89
Mycobacterium, 378, 398
agreste, 363
aurum, 192
azot-absorptum, 192
borstelense
var. niacinogenes, 192
bovis, 241
crystallophagum, 363
diernhoferi, 192
emegmatis, 100
flavescens, 99
fortuitum, 99
glasgowii, 192
gordonae, 99
kansasii, 99
var. album, 192
var. aurantiacum, 192
var. luciflavum, 192
leprae, 46
marinum, 99

Mycobacterium (cont.)
parafortuitum, 192
peregrinum, 99
perrugosum v. ethanicum, 192
rubrum, 100
var. propanicum, 192
runyonii, 100
salmoniphilum, 193
terrae, 193
thermoresistibile, 193
tuberculosis, 100, 241
luciflavum, 193
ulcerans, 100
vaccae, 193
xenopei, 193
Mycophyceae, 12
Mycoplana
citrea, 193
dimorpha, 193
flava, 193
Mycoplasma
agalactiae, 175
arthritidis, 175
bovigenitalium, 175
canis, 176
gallisepticum, 193
granularum, 193
hominis, 176
hyorhinis, 176
iners, 193
laidlawii, 176
maculosum, 176
meleagridis, 193
mycoides, 100
neurolyticum, 176
orale, 193
pulmonis, 176
salivarium, 176
spumans, 176
Mycoplasmatales, 107, 267
Myxomicrobium multiplex, 193

Necromonas achromogenes, 273
Neisseria
catarrhalis, 349, 368
flavescens, 100
gonorrhoeae, 100, 356
haemolysans, 100
meningitidis, 100
mucosa, 193
mucosus, 193
ovis, 100, 349
subflava, 193
suis, 193
Neisseriaceae, 367
Neisseriae, 367
Neoplectana, 173
Neotomae lepida, 374
Nocardia
asteroides, 364
carbonoxydans, 193
corallina, 363
dentocariosus, 79
farcinica, 100, 364
lutea, 364
opaca, 363
pelletieri, 364
salivae, 79, 100, 193
turbata, 364

Odontomyces, 84
viscosus, 84, 85, 193

Palmella infusionum, 12
Paracoli, 194
aerogenes, 194
anaerogenes, 194
Paracolobactrum
arizonae, 100
ballerup, 194
coliformae, 194
Pasteurella, 32, 263
haemolytica, 263
multocida, 100, 263
pestis, 100, 263
pneumoseptica, 194
pseudotuberculosis, 263
seraphila, 194
tularensis, 263
ureae, 263
Pectobacterium
carotovorum
f. sp. aroideae, 194
var. aroideae, 194
var. atrosepticum, 194
f. sp. chrysanthemi, 194
var. graminarum, 194
f. sp. zeae, 194
Pediococcus, 378
cerevisiae, 100
parvulus, 194
Peptostreptococcus
elsdenii, 194
pluton, 194
Phytomonas hemmianus, 194

Plectridium
aceticum, 193
aminovalericum, 194
glycolicum, 193
littoreum, 194
pectinovorum
var. desulfuricans, 194
desulfuricans, 195
var. thermophilum, 195
sporospheroides, 195
Pneumococcus, 398
Proactinomyces alni, 195
Promicromonospora citrea, 364
Propionibacterium
acnes, 337
arabinosum, 100
jensenii, 100
peterssonii, 100
technicum, 100
Proteus
hydrophilus, 25
melolonthae, 195
morganii, 101
myxofaciens, 195
pyogenes, 195
stuartii, 195
vulgaris, 101
Protoaminobacter, 377
alboflavus, 101
ruber, 101
Providence, 195
Providencia
alcalifaciens, 101, 195
stuartii, 195
Pseudomonas
adhaerens, 195
aeruginosa, 32, 39, 101, 247
var. erythrogenes, 195
adriatica, 195
albosesamae, 195
albulum, 195
alcaligenes, 101
arguta, 258
aureofaciens var.
nonliquefaciens, 195
azotoformans, 196
barkeri, 101
betae-veletae, 196
calcis, 258
calcisprecipitans, 258
cattleyaecolor, 196
caucasicum, 196
caviae, 196, 273
Pseudomonas (cont.)
cerealis, 196
cerevisiae, 258
chlororaphis, 101
citronellolis, 196
dehalogenans, 196
denitrificans, 3
var. laevaniformans, 196
echinoides, 196
effusa, 258
ephemerocyanea, 258
epiphytica, 196
erythra, 258
excibis, 196
fairmontensis, 258
fluorescens, 196, 257
var. laevaniformans, 196
nonliquefaciens, 196
formicans, 174, 273
fulva, 196
gelatica, 258
granulata, 196
halocrenaea, 196
helianthi var. tuberosi, 196
indigofera, 196
indolgena, 196
indoloxidans, 101, 173
iners, 196
iodinum, 101
iridescens, 258
lacunogenes, 258
lasia, 258
lemoignei, 197
lupanini, 197
maltophilia, 101
marinoglutinosa, 258
medicaginis, 197
melanogenum, 197
membranoformis, 258
mira, 173, 258
miyamizu, 197
mucidolens, 101
multivorans, 197
mutabilis, 197
nactus, 197
nishinomiyaensis, 197
nitroreducens, 197
odorans, 175
pastinacae, 197
phenolis, 197
pseudoalcaligenes, 197
pseudomallei, 101
putida, 197
var. thermophillus, 197

Pseudomonas (cont.)
pyocyanea, 34, 48
rhodos, 197
riboflavina, 173
rugosa, 258
savastanoi
f. sp. fraxini, 197
f. sp. nerii, 197
segnis, 258
smaragdina, 258
stereotropis, 173
straminea, 197
stutzeri, 173
subcreta, 258
subsperum, 197
syringae
var. capsici, 197
f. sp. prunicola, 197
tagetis, 197
testosteroni, 197
tralucida, 173, 258
turbinellae, 197
variabilis, 198
vesucilare, 198
zoogloeae ramigerae, 17
Pseudomonodaceae, 18

Rakeia pecoris, 198
Ramibacterium
alactolyticum, 323
dentium, 323
pleuroticum, 323
Rettgerella rettgeri, 198
Rhodopseudomonas
issatchenkoi, 198
vannielii, 198
viridis, 198
Rhodospirillum rubrum, 101
Rickettsiaceae, 198
Rickettsiella blattae, 198
Ristella
amylogenes, 198
corrodens, 198
perfoetens var. lacticus, 198
soehngeni, 198
Rothia, 79
dentocariosus, 79
Ruminobacter
amylogenes, 198
amylophilum, 198
parvum, 198
ruminicola, 198
succinogenes, 198
Ruminococcus, 198
albus, 199
flavefaciens, 199
var. albus, 199

Salmonella
aberdeen, 138
boecker, 39
cairns, 261
charity, 39
choleraesuis, 101
derby, 58
goverdhan, 41
herzliya, 137
london, 138
madelia, 138
newington, 138
rideau, 57
senftenberg, 58
tel-hashomer, 137
typhi, 101
typhimurium, 40, 102
Sarcina
exigua, 199
ocros, 199
Schinzia alni, 199
Selenomonas ruminantium
var. lactilyticas, 199
Seliberia stellata, 199
Serratia, 199
corallina var. phosphaticum, 199
lutea, 199
marcescens, 12, 102
var. noctuarum, 199
rubra, 199
saponaria, 199
urinae, 199
Shigella, 377
coli, 199
dysenteriae, 102
fallax, 199
flexneri, 53, 199
var. newcastle, 199
large-sachs, 199
manolovii, 200
metadysenteriae, 200
scholtensii, 200
Sphaerophorus, 377
hypermegas, 200
Sphaerotilus catenulatus, 200
Spirillospora, 363

Spirillum
azotocolligens, 200
dunbar, 200
gracile, 200
halophilum, 200
japonicum, 200
macuniense, 102
maritimum, 200
minutulum, 200
proeclarum, 200
Spirochaeta enterogyrata, 200
Spirospirillum
bisporum, 200
gyrini, 200
praeclarum, 200
Sporocytophaga
myxococcoides, 175
Sporovibrio
desulfuricans var.
thermodesulfuricans, 200
ferroxidans, 200
orientis, 200
rubentschicki
var. anomalus, 201
var. hydrocarbonoclasticus, 201
Staphylococcus
aureus, 102, 151, 378, 382, 387, 395
epidermidis, 378, 382, 383
lactis, 102
saprophyticus, 102
Streptobacillus moniliformis, 102
Streptococcus
acetoinicus, 201
agalactiae, 102, 309
asalignus, 102
faecalis, 102
faecium, 102
lactis, 102
var. diastaticus, 201
mileri, 309
mitis, 312
pluton, 201
pneumoniae, 291
productus
var. hemolyticus, 201
pyogenes, 288, 297
salivarius, 309
sanguis, 310
uberis, 102
viridans, 310
Streptomyces, 139, 315
achromogenes
var. rubradiris, 201
Streptomyces (cont.)
albaduncus, 201
albireticuli, 173
albolongus, 201
alni, 201
aureus, 232
amakusaensis, 201
avidinii, 201
bluensis var. bluensis, 201
caespitosus, 174
canarius var. canarius, 201
capreolus, 201
capuensis, 201
cirratus, 201
flavopersicus, 201
griseus, 201, 363
hachijoensis, 174
lincolnensis
var. lincolnensis, 201
lusitanus, 201
luteogriseus, 201
mediterranei, 201
misionensis, 201
naraensis, 202
ogaensis, 202
pactum, 202
var. pactum, 202
peucetius, 202
phaeverticillatus, 202
prasinosporus, 202
prasinus, 380
pristinae spiralis, 202
roseogriseus, 202
showdoensis, 202
sparsogenes, 202
var. sparsogenes, 202
spiroverticillatus, 174
totschidlowskii, 202
tsusimaensis, 202
violaceus
var. aspartocinicus, 202
Streptomycetaceae, 361
Streptosporangium, 362
rubrum, 202
Streptoverticillium 141, 317, 379
cinnamomeus, 202
fervens
var. melrosporus, 202
Succinimonas amylolytica, 202
Succinivibrio
dextrinosolvens, 203

Teratobacter, 203
Terminosporus
ellipsosporus, 203
omelianskyi, 203
tartarivorus, 203
thermocellulaseus, 203
uracillus, 203
Testuda graeca, 39
Tetrachloris diplococcus, 203
Tetraspora, 12
Thermoactinomyces, 379
Thermomonospora, 379
Thermopolyspora, 379
rectivirgula, 163
Thiobacillus
intermedius, 203
thermophilica imschenetskii, 203
Thioploca nigrica, 203
Treponema
carateum, 46
enterogyrata, 203
reiteri, 203
zuelzerae, 203
Trigonobacter, 203

Vanniella aggregata, 203
Veillonella, 367
alcalescens
subsp. alcalescens, 203
subsp. dispar, 203
subsp. ratti, 203
subsp. parvula, 203
subsp. rodentium, 203
Vibrio, 259, 377
alternans, 203
cholerae, 46
cholinicus, 203
comma, 102
cuneatus, 102
cyclosites, 102
fecalis, 203
fetus, 102
var. venerialis, 204
var. intestinalis, 204
ichthyodermis, 204
jamaecensis, 204
lineola, 12
neocistes, 103
percolans, 103
rubentschickii
var. anomalus, 204
thermodesulfuricans, 204
tor var. anhaemolyticus, 204
Vipera xanthina, 137

Waksmania, 149
aerata, 204
Welchia
agni var. hominitoxicus, 204
perfringens
var. vitulitoxicus, 204
Winogradskya, 8, 14
ramigera, 14

Xanthomonas
alysicarpi, 204
anandensis, 204
bilvae, 204
blepharidis, 204
brideliae, 204
buteae, 204
coracanae, 204
cyamopsidis, 204
eleusinae, 204
guizotiae, 204
hortoricola, 204
indica, 204
kresek, 205
lochnerae, 205
lohnisi, 205
marantae, 205
musicola, 205
nakatae corchori, 205
oryzae var. dianhi, 205
penniseti, 205
proteamaculans, 103
spermacoces, 205
striaformans, 205
tephrosiae, 205
thirumalachari, 205
tribuli, 205
uredovorus, 205

Yersinia, 263
enterocolitica, 205, 265
pestis, 263
pseudotuberculosis, 263

Zoogalactina immetrofa, 12
Zoogloea, 11
beigeliana, 8, 14
carnea, 15
compacta, 15
filipendula, 3, 8, 11, 17
pulmonis equi, 8, 13
ramigera, 1, 11

Zoogloea (cont.)
termo, 9,11
uva, 15

Zubrella constellata, 205
Zymomonas, 377
anaerobia var. pomaceae, 205

QR1
I598
v.17
1967

INTERNATIONAL JOURNAL

OF

SYSTEMATIC BACTERIOLOGY

CONTENTS

VOLUME 17

1967

OFFICIAL ORGAN OF THE JUDICIAL COMMISSION AND OF THE
INTERNATIONAL COMMITTEE ON NOMENCLATURE OF BACTERIA

PUBLISHED QUARTERLY

January April July October

FOR THE INTERNATIONAL ASSOCIATION OF MICROBIOLOGICAL SOCIETIES
WITH ASSISTANCE THROUGH SUBVENTIONS BY THE
UNITED NATIONS EDUCATIONAL, SCIENTIFIC AND CULTURAL ORGANIZATION
AND THE
INTERNATIONAL UNION OF BIOLOGICAL SCIENCES

Iowa State University Press
Press Building, Iowa State University
Ames, Iowa 50010, U.S.A.

TABLE OF CONTENTS

Vol. 17, No. 1, January, 1967

CRABTREE, K. and ELIZABETH MC COY. Zoogloea ramigera Itzigsohn, identification and description. 1
ZVIRBULIS, E. and H. D. HATT. Status of the generic name Zoogloea and its species. 11
SCHUBERT, RALPH H. W. The taxonomy and nomenclature of the genus Aeromonas Kluyver and van Niel 1936. Part I. Suggestions on the taxonomy and nomenclature of the aerogenic Aeromonas species. 23
ÖZEK, ÖMER, ENVER TALI ÇETIN, ÖZDEM ANG, and KURTULUŞ TÖRECI. A salmonella strain (1, 6, 14, 25:1, v:1. 7) which completes the antigenic formula of Salmonella boecker. . 39
SHARMA, V. K. and C. M. SINGH. Salmonella goverdhan, a new serotype from sewage. 41
HUGH, RUDOLPH and ERWIN F. LESSEL. Pseudomonas aeruginosa or Pseudomonas pyocyanea? 43
KHOMENKO, N. A. Serological varieties of Shigella flexneri serotype 5. 53
YURACK, JOSEPH A., RHODA M. LAIDLEY and WALTER C. HARRIS. A previously undescribed Salmonella serotype: S. sp. serotype rideau. 57
CLARK, W. A. and H. P. R. SEELIGER. Minutes of the Judicial Commission of the International Committee on Nomenclature of Bacteria, meetings in Moscow, 1966. 59
CLARK, W. A. and H. P. R. Seeliger. Minutes of the International Committee on Nomenclature of Bacteria meetings at the IXth International Congress for Microbiology, Moscow, 1966. . . . 73
GEORG, LUCILLE K. and JUNE M. BROWN. Rothia gen. nov., an aerobic genus of the family Actinomycetaceae. 79

Vol. 17, No. 2, April 1967

LESSEL, E. F. and HANS LAUTROP. Report to the International Committee on Nomenclature of Bacteria by the "Subcommittee on Moraxella and Allied Bacteria," November 1966. 89
LAPAGE, S. P., L. R. HILL, JENIFER MIDGLEY and JEAN E. SHELTON. Annotations from the NCTC on the list of type and reference strains of bacteria, Sneath and Skerman 1966. . . . 93
FREUNDT, E. A. and D. G. EDWARD. Minutes of first meeting of the Subcommittee on Taxonomy of the Mycoplasmata. . . . 105
POSTGATE, J. R. Report of the Subcommittee on Sulfate-reducing Bacteria (1962-1966) to the International Committee on Nomenclature of Bacteria. 111
BLAIR, J. E. and M. T. PARKER. Report of the Subcommittee on Phage-typing of Staphylococci to the International Committee on Nomenclature of Bacteria, Moscow, July 1966. 113
BÖVRE, KJELL and S. D. Henriksen. A new Moraxella species, Moraxella osloensis, and a revised description of Moraxella nonliquefaciens. 127

TOMA, S., G. ALTMANN, CH. B. GERICHTER and L. SECHTER. A new Salmonella serotype: Salmonella sp. ser. herzliya = 11:y:e,n,x. 137
KÜSTER, E. Report of the activity of the Subcommittee on Taxonomy of the Actinomycetes. 139
KUSTER, R. Reports on the "Round Table Conference on Actinomycetes" held at the IX International Congress of Microbiology, Moscow, 24th - 31st July, 1966 145
KWAPINSKI, J. B. Serological classification of the Actinomycetales. 149
WELSCH, M. Discussion of Rautenstein's paper on the "Use of actinophages for the classification of Actinomycetales." 150
KUTZENTSOV, V. D. Discussion of Rautenstein's paper on the "Use of actinophages for the classification of Actinomycetales." 154
RAUTENSTEIN, J. L. Use of actinophages for the classification of Actinomycetales. 157
ZINNEMANN, K. Report of the Subcommittee on the Taxonomy of Haemophilus (1962-1966). 165
SILVESTRI, L. G. and P. H. A. SNEATH. Report of the Subcommittee on Numerical Taxonomy. 167
HATT, H. D. and E. ZVIRBULIS. Status of names of bacterial taxa not evaluated in Index Bergeyana (1966). I. Names published circa 1950-1967 exclusive of the genus Salmonella. . . . 171
COWAN, S. T. R. E. Buchanan: an appreciation. 227
CLARK, W. A. and H. P. R. SEELIGER. A recommendation to the editors of microbiological journals. 229

Vol. 17, No. 3, July 1967

GIBSON, R. The status of the genus Micrococcus. 231
HANSEN, P. ARNE. Report of the taxonomic Subcommittee on Lactobacilli and Closely Related Organisms 1962-1966. 235
FULGHUM, ROBERT S. A note on anaerobic methods: improved clamp for sterilizing stoppered vessels. 239
LESSEL, ERWIN F. The nomenclatural status of Mycobacterium bovis. 241
HUGH, RUDOLPH and ROBERT REESE. Designation of the type strain for Bacterium anitratum Schaub and Hauber 1948. . . . 245
SHEWAN, JAMES M. and WILLIAM C. HAYNES. Report of the Subcommittee on Pseudomonas and related organisms (1962-1966). 255
ANDERSON, KEVIN and HELEN MC DONALD. An undescribed Salmonella serotype: S. cairns. 261
MOLLARET, H. H. Sous-comité des Pasteurella, Yersinia et Francisella. 263
EDWARD, D. G. ff. and E. A. FREUNDT. Proposal for Mollicutes as name of the class established for the order Mycoplasmatales. 267
FRIEDRICH, MARILYN, SHELDON STEINER and RALPH H. WEAVER. Decarboxylation of L-histidine by Clostridia. . . . 269
SCHUBERT, RALPH H. W. The taxonomy and nomenclature of the genus Aeromonas Kluyver and van Niel 1936. Part II. Suggestions on the taxonomy and nomenclature of the anaerogenic aeromonads. 273
MOODY, MAX D. International Committee on Nomenclature of Bacteria Subcommittee on Streptococci and Pneumococci. Minutes of the meeting held in Moscow, July 21, 1966. 281

FRASER, C.A.M., W.R. MAXTED and M.T. PARKER. Agglutination patterns in types 14 and 49. 292
LYAMPERT, I.M., V.A. BURSHTEIN, V.V. AKIMOVA, L.V. BELETSKAYA and I.S. KASDOBINA. The investigation of some extracellular products of streptococci group A. 294
JELINKOVA, J. and J. ROTTA. The bacitracin test for recognition of group A strepcococci. 297
LEONOVA, G.A., M.L. HATENEVER and N.A. CHISTENKOV. Sensitivity of group A Streptococcus cultures in temperate phages. 303
COLEMAN, G. and R.E.O. WILLIAMS. Classification of nonhaemolytic streptococci. 306

Vol. 17, No. 4, October 1967

GOTTLIEB, DAVID and ELWOOD B. SHIRLING. Cooperative description of type cultures of Streptomyces. I. The International Streptomyces Project. 315
HOLDEMAN, LILLIAN V., ELIZABETH P. CATO and W.E.C. MOORE. Amended description of Ramibacterium alactolyticum Prévot and Taffanel with proposal of a neotype strain. 323
BØVRE, KJELL and S.D. HENRIKSEN. A revised description of Moraxella polymorpha Flamm 1957, with a proposal of a new name, Moraxella phenylpyrouvica, for this species. 343
PRAUSER, H., LISELOTTE MÜLLER and ROSMARIE FALTA. On the taxonomic position of the genus Microellobosporia Cross, Lechevalier and Lechevalier 1963. 361
BERGER, ULRICH. International Committee on Nomenclature of Bacteria Subcommittee on Taxonomy of the Neisseriaceae. Minutes of meeting, Moscow, U.S.S.R. 367
JONES, LOIS M. Report to the International Committee on Nomenclature of Bacteria by the Subcommittee on Taxonomy of Brucellae - Minutes of meeting, July 1966. 371
BUCHANAN, R.E. New books significant in systematic bacteriology. Reviews of: Identification Methods for Microbiology, and Systematik der Streptomyceten. 377
BAIRD-PARKER, A.C. International Committee on Nomenclature of Bacteria Subcommittee on Taxonomy of Staphylococci and Micrococci. Minutes of second meeting July 23, 1966. 381
OEDING, PER. Antigenic studies on micrococci. 383
MEYER, W. A proposal for subdividing the species Staphylococcus aureus. 387
GRÜN, I. and K. DIRR. The differentiation of pathogenic and nonpathogenic staphylococci by estimation of the reduction of amido-blue-black and methylene blue. 391
TORRES PEREIRA, A. Aspects of virulence in Staphylococcus aureus in relation to antigenic structure. 395
PRAUSER, H. (Announcement) International Symposium on the Taxonomy of the Actinomycetales. 403

INDICES. 405

292
294
297
. 303
306
315
323
343
361
367
. 371
ology,
. 377
e
. 381
. 383
cus
. 387
391
. 395
. 403
. . 405